

Serial Connection Cable with FTDI chipset, USB 2.0 Type-A male to RS-232 RJ45 female 50 cm black

Description

This USB 2.0 to RS-232 cable by Delock can be used for the console control at CISCO routers, switches, access points and other compatible devices via PC or laptop.



Item no. 64163

EAN: 4043619641635

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB 2.0 Type-A male >
 - 1 x serial RS-232 RJ45 female
- Chipset: FTDI FT231XS
- Signals: CTS(1), DSR(2), RXD(3), GND(4), GND(5), TXD(6), DTR(7), RTS(8)
- Suitable for various CISCO devices
- Data transfer rate up to 921.6 Kbps
- Colour: black
- Cable length incl. connectors: ca. 50 cm

System requirements

- Linux Kernel 5.8 or above
- Mac OS 10.15.7 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- Adapter cable

Images



General

Specification:	RS-232 (EIA / TIA) USB 2.0
----------------	-------------------------------

Interface

Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x serial RS-232 RJ45 female

Technical characteristics

Chipset:	FTDI FT231XS
Data transfer rate:	921.6 Kbps
FIFO:	1 x 512 Byte receive 1 x 512 Byte send
UART:	USB to serial UART

Physical characteristics

Cable length incl. connectors:	50 cm
Material:	PVC
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de