

Serial Switch RS-232 / RS-422 / RS-485 4-port manual

Description

This Delock RS-232 / RS-422 / RS-485 switch can be used for connection of up to 4 devices to the RS-232 / RS-422 / RS-485 port and thus you can connect your devices by another RS-232 / RS-422 / RS-485 port to your PC. By using one of the 4 buttons you can manually select which device should be connected to the PC. Therefor you do not need a power supply.



Item no. 87589

EAN: 4043619875894

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input: 4 x serial D-Sub 9 pin male
 - Output: 1 x serial D-Sub 9 pin female
- Serial male and female ports with nuts
- 4 mechanical buttons
- Metal housing
- Dimensions (LxWxH): ca. 12 x 8 x 4 cm
- Colour: beige

System requirements

- A free D-Sub 9 pin interface



Package content

- Switch
- User manual

Images



Input: 4 x serial Sub-D 9 pin male
 Output: 1 x serial Sub-D 9 pin female



General

Specification:	RS-232 (EIA / TIA) RS-422 / RS-485 (EIA / TIA)
Supported operating system:	OS independent, no driver installation necessary
Style:	Tischgerät
Switchover:	4 x switch for device 1, 2, 4 or device 4

Interface

Connector 1:	1 x serial RS-232/422/485 DB9 male
Connector 2:	1 x Serial RS-232/422/485 DB9 Female
Connector 3:	1 x Serial RS-232/422/485 DB9 Female
Connector 4:	1 x Serial RS-232/422/485 DB9 Female

Physical characteristics

Housing material:	metal
Length:	12 cm
Width:	8 cm
Height:	4 cm
Switch:	On / Off
Colour:	beige

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de