

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
 Substance / mixture: Solder Paste
 UFI: mixture
 TY00-H0JM-A00H-3DP0
 Other mixture names: Solder Paste
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
 Flux agent.
Mixture uses advised against
 The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Distributor
 Name or trade name: Transfer Multisort Elektronik Sp. z o.o.
 Address: Ustronna 41 , Łódź, 93-350
 Poland
 Phone: +48 42 645 54 44
 Email: export@tme.pl
Manufacturer
 Name or trade name: AG TermoPasty Grzegorz Gąsowski
 Address: Kolejowa 33 E, Sokoły, 18-218
 Poland
 Identification number (CRN): 200133730
 VAT number: PL9661767714
 Phone: +48 86 274 13 42
 Email: msds@termopasty.pl
 Web address: www.termopasty.com
Competent person responsible for the safety data sheet
 Name: AG TermoPasty Grzegorz Gąsowski
 Email: msds@termopasty.pl
- 1.4. Emergency telephone number**
 European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1, H317

Eye Dam. 1, H318

Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Causes serious eye damage.

- 2.2. Label elements**

Hazard pictogram



Signal word

Danger

Hazardous substances

COLOPHONIUM

adipic acid

benzoic acid

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

Hazard statements

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components. Dust may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 650-015-00-7 CAS: 8050-09-7 EC: 232-475-7 Registration number: 01-2119480418-32-XXXX	COLOPHONIUM	50-60	Skin Sens. 1, H317	1
Index: 607-144-00-9 CAS: 124-04-9 EC: 204-673-3 Registration number: 01-2119457561-38-XXXX	adipic acid	<5	Eye Dam. 1, H318	
Index: 607-705-00-8 CAS: 65-85-0 EC: 200-618-2 Registration number: 01-211945536-33-XXXX	benzoic acid	<5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT RE 1, H372 (lungs) (inhalation)	

Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling dust can cause corrosion of the breathing system.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date 25th August 2022 Version 6.0
Revision date 24th September 2026

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
20 g	box	FE
100 g	box	FE
40 g	box	FE

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value
COLOPHONIUM (CAS: 8050-09-7)	WEL 8h	0,05 mg/m ³
	WEL 15min	0,15 mg/m ³

Notes

Capable of causing occupational asthma.

DNEL

adipic acid			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	5 mg/m ³	Acute effects local

benzoic acid			
Workers / consumers	Route of exposure	Value	Effect
Workers	Dermal	62.5 mg/kg bw/day	Chronic effects systemic
Workers	Inhalation	0.1 mg/l	Chronic effects local
Workers	Inhalation	3 mg/m ³	Chronic effects systemic
Consumers	Oral	16.6 mg/kg bw/day	Chronic effects systemic
Consumers	Dermal	31.25 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	1.5 mg/m ³	Chronic effects systemic
Consumers	Inhalation	0.06 mg/m ³	Chronic effects local

COLOPHONIUM			
Workers / consumers	Route of exposure	Value	Effect
Workers	Dermal	25 mg/kg bw/day	Chronic effects systemic
Workers	Inhalation	176.32 mg/m ³	Chronic effects systemic
Consumers	Oral	15 mg/kg bw/day	Chronic effects systemic
Consumers	Dermal	15 mg/kg bw/day	Chronic effects systemic
Consumers	Inhalation	52.174 mg/m ³	Chronic effects systemic

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

PNEC

adipic acid	
Route of exposure	Value
Drinking water	0.126 mg/l
Marine water	0.0126 mg/l
Water (intermittent release)	0.46 mg/l
Freshwater sediment	0.484 mg/kg
Sea sediments	0.0484 mg/kg
Soil (agricultural)	0.0228 mg/kg
Microorganisms in sewage treatment	59.1 mg/l

benzoic acid	
Route of exposure	Value
Drinking water	0.34 mg/l
Marine water	0.034 mg/l
Water (intermittent release)	0.331 mg/l
Freshwater sediment	1.75 mg/kg of dry substance
Sea sediments	0.175 mg/kg of dry substance
Soil (agricultural)	0.151 mg/kg of dry substance
Microorganisms in sewage treatment	100 mg/l

COLOPHONIUM	
Route of exposure	Value
Drinking water	0.005 mg/l
Marine water	0.0005 mg/l
Freshwater sediment	108 mg/kg of dry substance
Sea sediments	10.8 mg/kg of dry substance
Soil (agricultural)	21.4 mg/kg of dry substance
Microorganisms in sewage treatment	1000 mg/l

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
----------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

Colour	data not available
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>150 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	insoluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1.1 g/cm ³ at 80 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	paste

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

adipic acid					
Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	5560 mg/kg		Rat	
Dermal	LD ₅₀	>7940 mg/kg		Rabbit	
Inhalation	LC ₅₀	>77.7 mg/l	4 hours	Rat (Rattus norvegicus)	

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

benzoic acid

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	2250 mg/kg		Rat	
Inhalation	LC ₅₀	>12.2 mg/l	4 hours	Rat	
Dermal	LD ₅₀	>2000 mg/kg		Rabbit	

COLOPHONIUM

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	LD ₅₀	2800 mg/kg		Rat	
Oral	LD ₅₀	>1000		Guinea-pig	
Dermal	LD ₅₀	>2000 mg/kg		Rat	

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

adipic acid

Route of exposure	Result	Exposure time	Species
	Serious eye damage		

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

SECTION 12: Ecological information

12.1. Toxicity

not available

Acute toxicity

adipic acid						
Parameter	Method	Value	Exposure time	Species	Environment	Source
LCO		≥1000 mg/l	96 hours	Fish (Branchydanio rerio)		
LC ₅₀	OECD 202	46 mg/l	48 hours	Daphnia (Daphnia magna)		
EC ₅₀	OECD 201	59 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)		
EC ₅₀	OECD 209	7911 mg/l	3 hours	Microorganisms	Activated sludge	
NOEC	OECD 211	6.3 mg/l	21 days	Aquatic invertebrates (Daphnia magna)		

benzoic acid						
Parameter	Method	Value	Exposure time	Species	Environment	Source
LC ₅₀		44.6 mg/l	96 hours	Fish		
EC ₅₀		>100 mg/l	48 hours	Invertebrates		
EC ₅₀		>33.1 mg/l	72 hours	Algae		
NOEC		>120 mg/l	28 days	Fish		
EC ₅₀		102-500 mg/l	24 hours	Invertebrates		
NOEC		≥25 mg/l	21 days	Invertebrates		
NOEC		3.4 mg/l	72 hours	Algae		

COLOPHONIUM						
Parameter	Method	Value	Exposure time	Species	Environment	Source
LL ₁₀₀	OECD 203	≤10 mg/l	24 hours	Fish (Branchydanio rerio)		anon,
NOELR	OECD 203	≤1 mg/l	96 hours	Fish (Branchydanio rerio)		anon.
LD ₅₀	OECD 203	60.3 mg/l	96 hours	Fish (Branchydanio rerio)		Schreerbaum D
NOELR	OECD 203	≥1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
LL ₅₀	OECD 203	>1000 mg/l	96 hours	Fish (Pimephales promelas)		Kelly, C.R., Clayton, M.A.
EL ₅₀	OECD 202	911 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	75 mg/l	48 hours	Daphnia (Daphnia magna)		Kelly, C.R., Clayton, M.A.
NOELR	OECD 202	10	48 hours	Daphnia (Daphnia magna)		anon.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

COLOPHONIUM

Parameter	Method	Value	Exposure time	Species	Environment	Source
EL ₁₀₀	OECD 202	≤100 mg/l	48 hours	Daphnia (Daphnia magna)		anon.
NOELR	OECD 201	≥1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)		Kelly, C.R., Clayton, M.A.
EL ₅₀	OECD 201	1000 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)		Kelly, C.R., Clayton, M.A.

12.2. Persistence and degradability

not available

Biodegradability

adipic acid

Parameter	Method	Value	Exposure time	Environment	Result
TeorZT	OECD 301D	83 %	30 days		

benzoic acid

Parameter	Method	Value	Exposure time	Environment	Result
					Easily biodegradable

COLOPHONIUM

Parameter	Method	Value	Exposure time	Environment	Result
					Easily biodegradable

12.3. Bioaccumulative potential

Data not available.

benzoic acid

Parameter	Value
Log Pow	1.88

COLOPHONIUM

Parameter	Value
BCF	56.23 ml/kg

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

11 05 04* spent flux

Packaging waste type code

15 01 10* packaging containing residues of or contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H372	Causes damage to the lungs through prolonged or repeated exposure if inhaled.

Guidelines for safe handling used in the safety data sheet

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	Agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL ₁₀₀	Effective Loading for 100 % of the tested organisms
EL ₅₀	Effective Loading for 50 % of the tested organisms
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
LL ₁₀₀	Lethal Loading for 100 % of tested organisms
LL ₅₀	Lethal Loading for 50 % of tested organisms
log K _{ow}	Octanol-water partition coefficient
NOEC	No observed effect concentration
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Solder Paste

Creation date	25th August 2022	Version	6.0
Revision date	24th September 2026		

vPvM

Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 6.0 replaces the SDS version from Friday, 30 May 2025. Changes were made in sections 2, 13 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.