

USB 2.0 Dual Band WLAN ac/a/b/g/n Nano Stick 433 + 150 Mbps

Description

This wireless LAN USB stick can be connected to a computer for the connection to a WLAN network. The WLAN stick can be connected to an AccessPoint (HotSpot) or WLAN-router in a 2.4 GHz and 5 GHz band. Furthermore it enables an adhoc connection to a second computer.



Item no. 12461

EAN: 4043619124619

Country of origin: China

Package: Retail Box

Technical details

- Connector: 1 x USB 2.0 Type-A male
- Chipset: Realtek RTL8811CU
- 1T1R mode with 433 Mbps @ 5 GHz and 150 Mbps @ 2.4 GHz
- Frequency range: 2.4 GHz + 5 GHz band
- Antenna gain: 2 dBi
- Antenna type: PIFA
- Compatible with IEEE 802.11ac/a/n/b/g
- Encryption WEP, WPA, WPA2
- Transmission power (EIRP): 100 mW
- Supports DFS (Dynamic Frequency Selection)
- Supports WPS
- Dimensions (LxWxH): ca. 22.0 x 16.4 x 8.5 mm

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC or laptop with a free USB Type-A port

Package content

- WLAN USB stick
- Driver CD
- User manual

Images



Interface

Connector:	1 x USB 2.0 Type-A male
------------	-------------------------

Technical characteristics

Chipset:	Realtek RTL8811CU
Data transfer rate:	433 Mbps @ 5 GHz @ 1T1R 150 Mbps @ 2.4 GHz @ 1T1R
Frequency range:	2.4 GHz band 5 GHz band
Gain:	2 dBi
Transmission power:	100 mW
Encryption:	WEP WPA WPA2
WLAN standard:	802.11ac 802.11n 802.11a 802.11b 802.11g

Physical characteristics

Antenna type:	PIFA
Length:	22.0 mm
Width:	16.4 mm
Height:	8.5 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de

Website

www.delock.de

