

Active Optical Cable USB 10 Gbps USB Type-C™ male to male angled 5 m

Description

This active optical cable by Delock enables data transfer at up to 10 Gbps and stable performance over long distances. With its angled USB-C™ connector, it ensures a secure and space-saving connection that is particularly suitable for cameras, laptops, or VR devices.

Active Optical Cable

This active optical cable uses optical fiber to transmit high-speed signals. Compared to traditional copper cable, it is softer, thinner, lighter, and can transmit signals over longer distances without loss.

Please Note

DisplayPort Alternate Mode (DP Alt Mode) is not supported, so no video signals are transmitted and no monitors can be connected.



Item no. 87240

EAN: 4043619872404

Country of origin: China

Package: Box

Technical details

- Connectors:
1 x USB 10 Gbps USB Type-C™ male
1 x USB 10 Gbps USB Type-C™ male angled
- Active optical cable: fiber / copper hybrid cable
- Data transfer rate up to 10 Gbps
- Non-directional for data
- Bidirectional signal transmission
- Downwards compatible to USB 2.0
- Output current: up to 3 A
- USB Power Delivery (USB PD 3.0) support up to 60 watt
- Data transfer only, DP Alt Mode is not supported
- Cable diameter: ca. 5.0 mm
- Smallest bending radius: ca. 20 mm
- Cable jacket material: PVC
- Operating temperature: -10 °C ~ 50 °C
- Colour: black
- Length incl. connectors: ca. 5 m

Package content

- USB 10 Gbps cable

General

Specification:	USB 10 Gbps
Style:	both sides identical

Interface

Connector 1:	1 x USB 10 Gbps USB Type-C™ male
Connector 2:	1 x USB 10 Gbps USB Type-C™ male

Technical characteristics

Data transfer rate:	USB 10 Gbps up to 10 Gb/s
Operating temperature:	-10 °C ~ 50 °C
Maximum current:	3 A

Physical characteristics

Cable colour:	black
Cable length incl. connectors:	5 m
Smallest bending radius:	20 mm
Cable diameter:	5 mm
Cable jacket material:	PVC

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

